
ROOK / RENN SERIES



Welcome to Osprey. We pride ourselves on creating the most functional, durable and innovative carrying products for your adventures. Please refer to this owner's manual for information on product features, use, maintenance, customer service and warranty.

OWNER'S MANUAL



osprey.com

OVERVIEW



SHARED FEATURES

- 1 Fixed top lid with zippered pocket
- 2 Daylite® compatible
- 3 Dual upper and lower side compression straps
- 4 Zippered sleeping bag compartment with floating divider
- 5 Removable sleeping pad straps
- 6 Dual mesh side pockets
- 7 Zippered hipbelt pockets
- + Integrated removable raincover
- + Internal hydration sleeve

FABRIC

MAIN 600D Polyester

ACCENT 450D Polyester

BOTTOM 1000D Nylon Packcloth



ROOK 65

 SPECS
 ONE SIZE

 Cubic Inches
 3967

 Liters
 65

 Pounds
 3.52

 Kilograms
 1.60

 $\begin{array}{ll} \text{Inches} & 29 \text{h} \times 16 \text{w} \times 14 \text{d} \\ \text{Centimeters} & 74 \text{h} \times 42 \text{w} \times 36 \text{d} \end{array}$

LOAD RANGE 30-40 lb

14-18 kg



RENN 65

SPECS ONE SIZE
Cubic Inches 3051
Liters 50
Pounds 3.50
Kilograms 1.59

 $\begin{array}{ll} \text{Inches} & 29 \text{h} \times 16 \text{w} \times 14 \text{d} \\ \text{Centimeters} & 74 \text{h} \times 42 \text{w} \times 35 \text{d} \end{array}$

LOAD RANGE 30-40 lb

14-18 kg



ROOK 50

 SPECS
 ONE SIZE

 Cubic Inches
 3967

 Liters
 50

 Pounds
 3.44

 Kilograms
 1.56

 Inches
 26h x 15w x 14d

Inches $26h \times 15w \times 14d$ Centimeters $67h \times 37w \times 36d$

LOAD RANGE 25-35 lb

11-16 kg



RENN 50

 SPECS
 ONE SIZE

 Cubic Inches
 3051

 Liters
 50

 Pounds
 3.31

 Kilograms
 1.50

 Inches
 26h x 15w x 13d

Inches $26h \times 15w \times 13d$ Centimeters $67h \times 37w \times 34d$

LOAD RANGE 25-35 lb

11-16 kg



CARRY



1 AIRSPEED SUSPENSION

+ 4 mm LightWire peripheral frame effectively transfers the load from harness to hipbelt

2 AIRSPEED BACKPANEL

+ 3D-tensioned breathable mesh backpanel with side ventilation

3 HARNESS

- + Soft edgeless padded mesh harness slides over the AirSpeed suspension offering over 5" of adjustability to ensure excellent fit
- + Adjustable sternum strap with rescue whistle


4 HIPBELT

+ Soft edgeless padded mesh offers a soft, breathable contact surface and large load support



SIZING / FIT

HOW TO MEASURE YOUR BACK FOR YOUR PACK



ROOK - MEN'S

TORSO 0/S 17-22"/43-58 cm HIPBELT 0/S 29-51"/74-130 cm

RENN - WOMEN'S

TORSO 0/S 14-19"/36-48 cm HIPBELT 0/S 27-49"/70-125 cm

WOMEN'S-SPECIFIC FIT

- + Shorter torso length
- + Narrower, shorter harness with curves designed to accommodate most women's necks, shoulders and chests
- A hipbelt designed to wraps naturally around the curves of a woman's hips, offering better load stabilization and support





FIT



1 POSITION THE PACK

- + Completely loosen the pack's hipbelt, harness and load-lifter straps.
- + Load the pack with 10-20 lbs/4-9 kg of gear.
- Put on the pack and make sure that the hipbelt is centred and rests over the hipbone. The hipbelt padding should sit halfway above and below the hipbone.



2 BUCKLE HIPBELT

- + Buckle and evenly tighten the hipbelt using Osprey's cross body ErgoPull.
- + The padding of the hipbelt should wrap around the hips with approximately 1-3" / 2.5-6 cm of webbing between the buckle and the hipbelt when tightened.





3 TIGHTEN HARNESS

+ Tighten the shoulder harness straps to tension by pulling them down and back.

4 TIGHTEN LOAD LIFTERS

+ Tighten the load lifters to tension by pulling them up and forward. This will pull the pack close to body to help stabilize the load.





5 ADJUST HARNESS

- + The harness straps should wrap fully around the shoulders with no gaps between the pack and back.
- + The padded part of the harness straps should end 1-2" / 2.5-5 cm below the armpit. And the harness should have 1-2" / 2.5-5 cm of webbing remaining.

TORSO LENGTH

- Locate the harness yoke this is where the harness straps come together near
 the base of the user's neck. Locate the C7 vertebra the large protruding bone at
 the base of the neck. The yoke should be 1-2" / 2.5-5 cm below
 the C7 vertebra.
- + If the torso length is too short or tall, adjust the torso length of the pack.







6 ADJUSTABLE HARNESS (TORSO LENGTH)

M - 65L / 50L W - 65L / 50L

- 2 Grab the plug's pull loop with thumb and forefinger and pull the harness's LightWire extension out and to the sides of the pack. This releases the harness and allows it to slide up and down.
- 3 Slide the harness up or down along the LightWire rails to the appropriate torso length.
- 4 There are two load-lifter ladder lock options. Correspond the lower two or upper two backpanel settings to the lower or upper load-lifter ladder lock.



7 STERNUM STRAP

 Adjust the sternum strap to approximately 2"/5 cm below the collarbone; buckle and tighten to tension.

FEATURES





RESERVOIR SLEEVE

M-65L/50L W-65L/50L

The dedicated internal hydration sleeve keeps the reservoir close to back, which provides proper weight distribution when carrying the pack.

- + The loop with buckle ensures proper vertical orientation and stability
- + Elasticized routing straps on right or left side of the pack's harness hold the reservoir hose in place
- + The backpanel hydration exit port is centered allowing routing to the right or left side of the harness
- + Compatible with any reservoir up to 3L





RAINCOVER

M-65L/50L W-65L/50L

- 1 Locate raincover icon near the base of pack.
- ${\bf 2} \quad {\bf Remove \, rain cover \, from \, compartment \, and \, slip \, it \, over \, the \, top \, and \, }$ bottom of the pack.
- 3 Tighten the cord lock at the bottom of raincover to tension raincover into place.
- 4 To detach raincover, unfasten toggle from cord loop.

Tip: To prevent mildew, allow raincover to dry entirely before storing.





pack or attaching an Osprey Daylite®.



DUAL UPPER AND LOWER SIDE COMPRESSION STRAPS

M-65L/50L W-65L/50L

Upper and lower compression straps provide added stability when the pack is not full or offer additional attachment points for carrying gear on the outside of the pack.



SLEEPING BAG COMPARTMENT

M - 65L / 50L W - 65L / 50L

Lower zippered compartment for dedicated sleeping bag storage with detachable divider for unimpeded access to pack interior.



SLEEPING PAD STRAPS

M-65L/50L W-65L/50L

Removable sleeping pad straps allow for quick, secure external gear attachment.

FEATURES





ZIPPERED HIPBELT POCKETSM - 65L / 50L W - 65L / 50L



DUAL MESH SIDE POCKETS *M* - 65*L* / 50*L W* - 65*L* / 50*L*



TOPLID WITH POCKET *M* - 65*L* / 50*L W* - 65*L* / 50*L*